Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(("5799086") or ("5883960")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 12:39
L2	2	L1 and (key$5 with (new or next or another or several or many or subsequent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 10:45
L3	5	OTAF.ab. and ID.ab. and dummy. ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 10:46
L4	8	(("5799086") or ("5883960") or ("6188899") or ("5557679")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 13:58
L5	1	L4 and (security with center)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 12:41
L6	2	L4 and (security same center)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 12:41
L7	10	(("5799086") or ("5883960") or ("6188899") or ("5557679") or ("5793866")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/18 13:58
L8	4	L7 and flag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 13:58
S1	2	("5883960").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 15:09

S2	9	"5883960"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:49
S3	2464	IMSI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:49
S4	3018532	subscrib$5 or client or user or person or subject or employee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:50
S5	3680912	ident$6 or account$5 or ID or personal$5 or access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:54
S6	6945668	number or code or key or pin	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:55
S7	111712	S4 with S5 with S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:55
S8	36	ICCID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:06
S9	3348930	card or micro or PROM or cell or EPROM or memory or ROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:58
S10	721465	key	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:56
S11	6419721	secret or private or initial or primary or first	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:56

S12	682190	S9 with S6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:57
S13	10008415	manufact$5 or made or maker or make or fabrica$5 or design$5 or build$5 or burn$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:58
S14	14275	(S3 or S7) with S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 07:58
S15	91768	(S8 or S12) with S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:00
S16	14339	S10 with S11 with S13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:01
S17	734	S14 and S15 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:02
S19	12921	"380"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:03
S20	117	S17 and S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:05
S21	1	S20 and (S1 or S2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:03
S22	0	S8 and (S1 or S2 or S20)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:06

S23	0	S8 and S17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 08:06
S24	3348930	card or micro or PROM or cell or EPROM or memory or ROM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 12:47
S25	1411	key$5 with deriv$6 with S24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 14:59
S26	739	S25 and @ad<"19980804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:00
S27	3680912	ident$6 or account$5 or ID or personal$5 or access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:01
S28	10008415	manufact$5 or made or maker or make or fabrica$5 or design$5 or build$5 or burn$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:01
S29	295	S26 and (S28 with S27)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:07
S30	12921	"380"/$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:07
S31	61	S30 and S29	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:45
S32	35	"5889941"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:45

S33	2	("5889941").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/15 15:45
S34	0	S33 and ((deriv$5 or calculat$5 or determin$5) with key$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:03
S35	9	S32 and ((deriv$5 or calculat$5 or determin$5) with key$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:48
S36	3348	((deriv$5 or calculat$5 or determin$5) with key$5 with (card or chip))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:48
S37	391	personaliz$5 and S36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:49
S38	3018532	subscrib$5 or client or user or person or subject or employee	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:49
S39	32635	S38 with S27 with (chip or card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:51
S40	249	S39 and S37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:51
S41	5921	(privat$5 or secur$5 or secret) with key with (chip or card)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:52
S42	192	S41 and S40	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 15:52

S43	48	S42 and @ad<"19980804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:17
S44	399	(prior or pre or advance) near5 personal$6 with (chip or card or smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:02
S45	399	((prior or pre or advance) near5 personal$6) with (chip or card or smartcard)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:02
S46	177	S45 and @ad<"19980804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:03
S47	16	S46 and ((deriv$5 or calculat$5 or determin$5) with key$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:07
S48	43398	(personal$6 with (chip or card))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:07
S49	4158	key$5 with (deriv$5 or calculat$5 or seed$5 or determinE5) with (secret or initial or private or secure)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:08
S50	39176	(subscrib$5 or employ$5 or client$5 or person or subject) with (ID or ident$6 or account$5 or record$5) with number	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:09
S51	126	S48 and S49 and S50	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:17
S52	46	S51 and @ad<"19980804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 16:17
S53	2	("6148400").URPN.	USPAT	OR	ON	2005/06/15 16:21

S54	6	("5883960").URPN.	USPAT	OR	ON	2005/06/15 16:26
S55	26	GSM with chip with personal$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:21
S56	2616921	QUALCOMM INC	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:22
S57	3841	"QUALCOMM INC"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:22
S58	4776	QUALCOMM.AS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:22
S59	360	S58 and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:22
S60	54	S59 and (@ad<"19980101" and @ad>"19920101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:31
S61	16	S60 and chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:25
S62	6	S61 and key$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:26
S63	1049	S58 and "1997"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:27
S64	8625	AT&T.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:27

S65	1123	S64 and wireless	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:28
S66	8	S65 and GSM and key$5 and chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:29
S67	0	S64 and Spalte.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:30
S68	0	S64 and Siehe.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:30
S69	0	S64 and Zeile.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:30
S70	277	At&T.as. and WIRELESS.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:30
S71	129	S70 and (@ad<"19990101" and @ad>"19920101")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:31
S72	10	S71 and chip and key$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:32
S73	3348	(chip.ab. or card.ab. or smartcard. ab.) and key$5.ab. and person$6. ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:32
S74	861	((chip or card) with personal$6 with key$6) and S73	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:33

S75	199	S74 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:34
S76	24	S75 and disabl$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:38
S77	413	GSM with chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:39
S78	92	S77 and @ad<"19980804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 18:21
S79	63	S78 and key$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:39
S80	1	"6091946".PN.	USPAT; USOCR	OR	ON	2005/06/15 17:40
S81	6	("6091946").URPN.	USPAT	OR	ON	2005/06/15 17:41
S82	1	("6236859").URPN.	USPAT	OR	ON	2005/06/15 17:42
S83	0	("6546240").URPN.	USPAT	OR	ON	2005/06/15 17:43
S84	1	"5960416".PN.	USPAT; USOCR	OR	ON	2005/06/15 17:43
S85	1	"5956637".PN.	USPAT; USOCR	OR	ON	2005/06/15 17:43
S86	1	"5953652".PN.	USPAT; USOCR	OR	ON	2005/06/15 17:44
S87	15	("5953652").URPN.	USPAT	OR	ON	2005/06/15 17:45
S88	4	("6341220").URPN.	USPAT	OR	ON	2005/06/15 17:49
S89	1	"5918175".PN.	USPAT; USOCR	OR	ON	2005/06/15 17:48
S90	1065	(GSM.ab. or mobile.ab. or cell.ab. or cellphone.ab.) and (registrat$5.ab. or regist$5.ab. or personal$6.ab.) and key$6.ab. and (disabl$5.ab. or deactivat$5.ab. or prevent$5.ab. or block$5.ab. or stop$5.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:52

S91	126	S90 and @ad<"19980804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 17:53
S92	27	S91 and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 18:19
S93	5	("5708716").URPN.	USPAT	OR	ON	2005/06/15 17:57
S94	64	GSM.ab. and network.ab. and (chip.ab. or card.ab.) and (initial$5.ab. or registrat$5.ab. or register$5.ab. or personal$7.ab.) and (subscrib$5 or client$5 or provider)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 18:21
S95	4	S94 and @ad<"19980804" and key$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/15 18:21
S96	9	("5557679").URPN.	USPAT	OR	ON	2005/06/15 18:22
S97	1	("6575360").URPN.	USPAT	OR	ON	2005/06/15 18:23
S98	6	("5883960").URPN.	USPAT	OR	ON	2005/06/15 18:26
S99	207967	(reus$4 or reintializ$4)".ab" and GSM.ab. and (card.ab. or chip.ab. or device.ab. or cirucuit.ab. or IC.ab. or telephone.ab.)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 15:11
S100	47	(reus$4 or reintializ$4) with GSM with (card or chip or device or cirucuit or IC or telephone or mobile or cell)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 15:34
S101	8	COMVIK and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 15:50
S102	3	93/07697	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 15:50
S103	3	97/14258	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 15:53

S104	1	"00562890"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:17
S105	16	"0562890"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:22
S106	10	"0481714"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:24
S107	73	Fingerhut.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:26
S108	39	Seite.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:28
S109	144	Zeile.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:28
S110	0	"Siehe.in"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:28
S111	2	Spalte.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:29
S112	2694	Hutchinson.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:29
S113	88	Microtel.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:29

S114	3	(S108 or S109 or S110 or S111 or S112 or S113) and GSM and key$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:30
S115	8	(reconfigur$5 or reus$5 or reutiliz$5 or reinitial$5) with GSM with (device or card or phone or cell or mobile or circuit or IC) with (subscrib$5 or user or client or employee or subject or customer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:35
S116	12414	Dietrich.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:33
S117	9	S116 and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:38
S118	29	GSM with (device or card or phone or cell or mobile or circuit or IC) with (deriv$5 or calculat$5 or determin$5) with key$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:38
S119	3737	Mohrs.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:38
S120	10	S119 and GSM	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:53
S121	6	(chip or card or circuit or mobile or cell or phone or processor or micro) with (deriv$5) with key$5 with (GSM or (global near3 mobile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:56
S122	913	reconfig$5 near4 (cell or phone or mobile or GSM or SIM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:57
S123	247	S122 and @ad<"19970801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:57

S124	67	S123 and key$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:57
S125	3	S124 and (GSM or (global near4 mobile))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 16:58
S126	17	("5903726").URPN.	USPAT	OR	ON	2005/06/17 16:59
S127	4	(("5661806") or ("5799086")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/17 17:09
S128	87	"5661806" "5799086"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 17:11
S129	43	S128 and @ad<"19980804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 17:12
S130	0	GSM with chip$5 with deriv$5 with key$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:17
S131	3	GSM and (chip$5 with deriv$5 with key$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:18
S132	67	clipper near3 chip	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:18
S133	43	S132 and @ad<"19970804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:20

S13 4	288	Skipjack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:20
S13 5	119	S134 and @ad<"19970804"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:24
S13 6	0	(S133 or S135) and Ki and "Ki+1"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:24
S13 7	2	(S133 or S135) and Ki	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:26
S13 8	28	(S133 or S135) and ((K or key or Ki) with initial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/17 18:48
S13 9	6	S138 and (device with key$5 with initial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/18 09:53